

## Glossy Metallic – Coated 80g

### Description

A top coated bright silver, vacuum metallised printing paper.

**Basis Weight** 83 g/m<sup>2</sup>

### Liner

BG40 brown, supercalendered glassine paper.

### Adhesive

A general purpose permanent, acrylic based adhesive.

### Performance Data

Min. Application Temp.: 5°C  
Service Temperature: -20°C to 80°C

### Adhesive Performance

The adhesive is characterized by a high initial tack, excellent adhesion and good low temperature performance on a wide variety of substrates.

### Shelf Life

To obtain optimal performance, use this product within two years of the date of manufacture, under storage conditions as defined by FINAT (20-25°C; 40-50%RH). Prolonged storage outside these conditions might reduce the shelf life.

### Applications and Use

Applications include labelling of quality products such as cosmetics, toiletries, luxury articles, prepacked food, wine, spirits, dairy products, stickers and promotional labelling.

These results are based on tests carried out by our suppliers and our own experience. Etiqueta.es cannot give any guarantee for the optimal adhesion of the materials. Etiqueta.es assumes that the customer checks the suitability of the materials, meets his needs and decides for the right material that meets his requirements. The labels should be stored in a dryplace, at an ambient temperature of between 20° - 24 °C and protected from the effects of the weather, such as sun, rain or snow. The adhesive reacts very quickly, especially to the effects of weathering.



FSC®-Certified



**In case of high humidity, water penetrates into the paper fibres and the material may wrinkle.**

## QUESTIONS? WE'RE HERE TO HELP!



+44 0203 588 1080



info@label.co.uk



The colour of the material shown may vary. Therefore, we recommend that you order our free online sample book at [label.co.uk/sample-book/](http://label.co.uk/sample-book/) to get a better understanding of the effects and different textures.

**Order free of charge:**



**SAMPLE BOOK**